

INSTALAY

Peel and stick self-adhesive acoustic underlays.





Installation video

CLICK FOR MORE

Case Studies

InstaLay® is well-suited to many environments



Private homes



Multi-family housing



Healthcare



Retail



Hospitality

InstaCradles have many benefits.



Excellent acoustics



Excellent rebound



Comfort underfoot



Year guarantee

The system is designed to be easy to install and maintain.



Fast, simple & clean



Reduces sub-floor prep



No subfloor fixing



No wet adhesives



No maintenance

They are sustainable and promote green building.



Reusable & recyclable



Made from recycled rubber tires



Supports the circular economy



Locally produced

Protective Release Film
Adhesive Membrane —
Rubber Crumb ———



SUBFLOOR





- 1 Lay InstaLay on the subfloor
- 2 Ensure rubber faces down and release film faces up
- Peel back the release film and apply the floor covering







Wood/ laminate/ bamboo

Carpet/ carpet tiles

Ceramic/ porcelain tiles

Product Variations

Low grab (non-permar

(non-permanent self-adhesive bond)

HG

High grab (permanent self-adhesive bond)

25HG

2.5mm underlay HG.
LVTs/woven vinyl tiles (dryback),
with a thickness of ≥2.0mm,
and ceramic, porcelain and
natural stone tiles.

30LG

3mm underlay LG.

Carpet tiles, LVTs (click joint) with a **thickness of ≥3.0mm** engineered wood/ laminate (click joint).



3mm underlay HG.

LVTs/woven vinyl tiles (dryback) with a **thickness of ≥3.0mm**, solid/engineered wood (tongue & groove) and broadloom carpet.

50LG

5mm underlay LG.

Carpet tiles, engineered wood/ laminate (click joint).


50HG

5mm underlay HG.

Solid/engineered wood (tongue & groove) and broadloom carpet.













Case Studies



THE FLOORING CONNECTION (PTY) LTD

Jonathan@theflooringconection.org +27 (0) 82 834 7377

Sven@theflooringconnection.co.za +27 (0) 83 253 4283

www.theflooringconnection.co.za

