

ECODECK CRADLES

Rubber crumb cradles create a subfloor system for easy installation of poolside and exterior timber decking.



Testimonial

InstaCradles have many benefits.



On-site levelling



Excellent acoustics



Creates a cavity for services



Protects surface below



Year guarantee



Allows wood to expand & contract



Adjustable for varying deck heights



quick, easy & cost-effective



InstaCradles are sustainable and circular!



Reusable & recyclable



Made from recycled rubber tires



Supports the circular economy



Here's how it works...



DECKING CRADLES

The base of the system

Varies from 35mm - 60mm



BASE PACKERS

To adjust floor heights

10mm and 30mm variations



SHIMS

For micro-leveling 2mm and 5mm variations




UNEVEN SUBLOOR


Cradles are laid across the subfloor. A support batten is inserted loosely into the cradles and the chosen decking material is then fixed directly to each batten with traditional clips and fixing brackets.

Max height: 300mm

Min height: 60mm







Creates space for subfloor services.

Protects waterproofing below.

Opportunity for special features







Demo video

Case Studies

CLICK FOR MORE

Testimonial



THE FLOORING CONNECTION (PTY) LTD

Jonathan@theflooringconection.org +27 (0) 82 834 7377

Sven@theflooringconnection.co.za +27 (0) 83 253 4283

www.theflooringconnection.co.za

